



NAYA RAIPUR DEVELOPMENT AUTHORITY

Tender Document for the

**Providing and installation of Furniture for phase-I Part of
Christel House School at Sector 25 of Naya Raipur (C.G.)**

(Following Three-Envelope Tender Procedure)

Schedule – A

Price Tender

To be submitted in ENVELOPE-3

NIT No: NIT No.: 154/CH-F/EEC-III/CE(E)/NRDA/2016-17, Naya Raipur

Dated: 20.01.2017

Issued by:

Chief Executive Officer,

Naya Raipur Development Authority (NRDA)

Paryavas Bhawan, North Block Sector- 19,

Naya Raipur- 492 002, Chhattisgarh

Tel No: + 91 771 2512500; Fax No.: +91 771 2512400.

Website: www.nayarapur.gov.in

Tender Document Contains

- (a) Only schedule "A" and Section-I of schedule "D" are to be filled & signed by the tenderer
- (b) All the certificates as per pre qualification criteria shall be appended with relevant forms of schedule "D"

1. PART ONE (NRDA F-1)-(Attached herewith, to be submit along the tender)

Part (A)

- a) Press Notice
- b) Detailed NIT

Part (B)

a) Schedule-A

- (i) Cost Abstract
- (ii) Bill of Quantities

- b) Schedule-B –NIL
- c) Schedule-C –NIL
- d) Schedule-D

Section-I..... Technical tender forms

- (i) Letter of Technical Tender
- (ii) Tenderer's Information Sheet
- (iii) Annual Turnover
- (iv) Specific Construction Experience
- (v) Declaration
- (vi) Check list for Technical tender evaluation

Section –IIScope of work

Section –III..... Technical specifications of work

Section –IV..... Special Conditions of Contract

Section –V..... List of approved makes

Section –VI..... Drawings

- e) Schedule-E
- f) Schedule-F

2. PART TWO (NRDA F-2/3)-Standard form (Not Attached herewith, and not to be submitted along the tender) Important note: - Link site [http:// nayaraipur.com/documents/gcc.pdf](http://nayaraipur.com/documents/gcc.pdf)

1. General Guidelines
2. Tender
3. General rules and directions
4. Conditions of contract
5. Clauses of contract
6. Model rules relating to labour, water supply and sanitation in labour camps safety code
7. Contract forms
 - (a) Draft Format for Performance Security
 - (b) Earnest Money Deposit Form (Bank Guarantee)
 - (c) Format of Contract Agreement
 - (d) Draft Format for Performance Guarantee for Water Proofing and Anti-termite Works
 - (e) Indemnity Bond
 - (f) Indenture Bond
 - (g) Notice for Appointment of Arbitrator
8. Proforma of schedules (Schedule 'A' to Schedule 'F')

Naya Raipur Development Authority (NRDA) Raipur, Chhattisgarh

Document details

Name of work: "Providing and installation of Furniture's for Paryavas Bhawan at Sector 19 of Naya Raipur"

Name of Tenderer:

Details



- a) Cost of Tender Document : Rs
- b) EMD : Rs


Signature of Tenderer




Date: _____



Signature of Contractor.....





Signature of NRDA.....



<p align="center">Bill of Quantity Providing and installation of Furniture for phase-I Part of Christel House School at Sector 25 of Naya Raipur (C.G.)</p>							
S.NO.	Description of Items	Unit	Quantity	Rate in INR (in Figure)	Rate in Words (In INR)	Amount in INR	Photograph of equivalent items for reference
1	<p>Top Arc Tables for students (for Grade KG , 4 seater) Desk - 1,100 (W) x 610 (D) mm Height - 370 - 620 mm (H) Soft edges Material- Desk- 25 mm pre-laminate top; Adjustable Frame: Dia 42 x 1.2 mm thickness MS frame Automatic electrostatic painting</p>	No.	18			-	
2	<p>Student chairs (for Grade KG, 1st & 2nd) Dimension (mm): 355 W x 350 D x 260 H Chair is heavy . This keeps the chair in position and avoids it from sliding due to movement. •The legs have a wider angle. So the chair never topples, no matter how hard the child leans back. Also restrict rocking of the chair, thus accidents. •Design is armless. Ensures that the kids can slide-in to the activity desk for drawing, painting etc. •High Stackablilty . Enables to use space optimally for various activities and also cleaning the place thoroughly .</p>	No.	225			-	



S.NO.	Description of Items	Unit	Quantity	Rate in INR (in Figure)	Rate in Words (In INR)	Amount in INR	Photograph of equivalent items for reference
3	<p>Student book storage unit (for Grade KG, 1st & 2nd) Over all size: 1200(h) x 900(w) x 500(d)mm Body completely made up of ISI marked 18mm wood based Mdf board with edges covered with 2mm and 0.8mm pvc edge band. Door with height up to 750mm made up of wood based Mdf board with covering of post form of 0.8mm laminate with one side quarter bending and 3 sides 2mm pvc edge band. All fittings used should be of Hitch/ Hafle/ebco make.</p>	No.	9			-	
4	<p>Ceramic Green board 4'X8' (for Grade KG, 1st & 2nd)</p>	No.	9			-	
5	<p>Ceramic White board 3'X4' (for Grade KG, 1st & 2nd)</p>	No.	9			-	





S.NO.	Description of Items	Unit	Quantity	Rate in INR (in Figure)	Rate in Words (In INR)	Amount in INR	Photograph of equivalent items for reference
6	<p>Steel cupboard (7'W X 4' H'X18"D) (All the classes and dept.) 18 individual lockers (All the classes and dept.) 18 individual lockers Personallocker units of approximate size 2100mm (w) x 450mm (d) x 1200mm (H) with 18 lockers having common side panel 10 lever cam lock with lock lever and option of self locking arrangement . Completely made up of 0.8mm thick colod rolled sheet. Uniformly distributed load capacity per each shelf level is 35 kg maximum Epoxy polyester powder coated finish to the thickness of 50 microns (+1-10) Aesthetically appealing snap fit ABS plastic handle& plastic label holder for identification</p>	No.	16			-	
7	<p>Half round student tables (Grade - 1) Desk - 900 (W) x 450 (D) mm Height - 370 - 620 mm (H) Soft edges Material- Desk- 25 mm pre-laminate top; Adjustable Frame: Dia 42 x 1.2 mm thickness MS frame Automatic electrostatic painting</p>	No.	27			-	
8	<p>Wooden student tables (Grade - 2) Desk - 1,100 (W) x 550 (D) mm Height - 370 - 620 mm (H) Soft edges Material- Desk- 25 mm pre-laminate top; Adjustable Frame: Dia 42 x 1.2 mm thickness MS frame Automatic electrostatic painting</p>	No.	45			-	



S.NO.	Description of Items	Unit	Quantity	Rate in INR (in Figure)	Rate in Words (In INR)	Amount in INR	Photograph of equivalent items for reference
9	White board ceramic steel magnetic white board.(Writing & projecting purpose) (4'X8') (concerned class rooms & dept.)	No.	5			-	
10	Notice boards (4'X8') for all the departments and corridors Over all size: 96"x48"x6" Structure made up of 18mm and 12mm wood based ISI marked MDF board. Four nos. front door made up of 18mm wood based ISI marked MDF board with 6mm clear glass. 8mm soft board covered with good quality velvet cloth should be fixed inside notice board for pin up solution. Door edges covered with 2mm PVC edge band.Good quality lock and handle should be provided on the doors.	No.	20			-	
11	Students storage units for computer lab Personallocker units of approximate size 1050mm (w) x 450mm (d) x 1200mm (H) with 09 lockers having common side panel 10 lever cam lock with lock lever and option of self locking arrangement . Completely made up of 0.8mm thick colod rolled sheet. Uniformly distributed load capacity per each shelf level is 35 kg maximum Epoxy polyester powder coated finish to the thickness of 50 microns (+1-10) Aesthetically appealing snap fit ABS plastic handle& plastic label holder for identification	No.	3			-	
12	Student tables for library Height - 370 - 620 mm (H) Soft edges Material- Desk- 25 mm pre-laminate top; Adjustable Frame: Dia 42 x 1.2 mm thickness MS frame Automatic electrostatic painting						

S.NO.	Description of Items	Unit	Quantity	Rate in INR (in Figure)	Rate in Words (In INR)	Amount in INR	Photograph of equivalent items for reference
a)	Desk - 900 (Dia) mm	No.	7			-	
b)	Desk – 1100mm x 550mm	No.	8			-	
13	Students chair for library Dimension: Desk - 305 (W) x 290 (D) x 350 (H) mm Features: - Stackable Material- PP Shell Frame: Dia 38 mm x 1.5 mm W thickness MS frame Automatic electrostatic painting	No.	75			-	
14	Library books shelf (for display the books in Library) 15 compartments. Over all size: 1800mm x 400mm(d) x 1200mm(h) Completely made up of 18mm wood based ISI marked MDF board with edges covered with 2mm pvc edge band. Top 18mm postformed.	No.	10			-	

S.NO.	Description of Items	Unit	Quantity	Rate in INR (in Figure)	Rate in Words (In INR)	Amount in INR	Photograph of equivalent items for reference
15	<p>Pigeon hole Storage units for teachers in staff room (to keep personal bags etc.,) Personallocker units of approximate size 1050mm (w) x 450mm (d) x 1980mm (H) with 15 lockers having common side panel 10 lever cam lock with lock lever and option of self locking arrangement . Completely made up of 0.8mm thick colod rolled sheet. Uniformly distributed load capacity per each shelf level is 35 kg maximum Epoxy polyester powder coated finish to the thickness of 50 microns (+1-10) Aesthetically appealing snap fit ABS plastic</p>	No.	2			-	
16	<p>Laptop storage units for teachers in staff room Modular drawer cabinet 10 drawers with locking arrangement. Over all size: 48"(h) x 36" (w)x 20"(d) Top made up of 25mm post formed wood base ISI mark MDF board with edges covered with 2mm edge band. Under structure made up of 18mm wood base ISI make MDF board with edges covered with 0.8mm thick edge band. Drawer unit with telescopic slider of hatich/hafle/ebco make and good quality lock made up of 12mm and 18mm MDF board with edges covered with 2mm and 0.8mm PVC edge band.</p>	No.	3			-	
17	<p>Back storage unit for principal room Over all size: 1200x400x1800mm with full clear glass. Made up of 18mm and 12mm membrane press MDF board .</p>	No.	1			-	

S.NO.	Description of Items	Unit	Quantity	Rate in INR (in Figure)	Rate in Words (In INR)	Amount in INR	Photograph of equivalent items for reference
18	Ceramic White board (2'X3') for principal office	No.	1			-	
19	Notice board 32"X60" with wooden frame (corridor) Structure made up of 18mm and 12mm wood based ISI marked MDF board. Four nos. front door made up of 18mm wood based ISI marked MDF board with 6mm clear glass. 8mm soft board covered with good quality velvet cloth should be fixed inside notice board for pin up solution. Door edges covered with 2mm PVC edge band. Good quality lock and handle should be provided on the doors.	No.	2			-	
20	Student table (Art room) Height - 370 - 620 mm (H) Soft edges Material- Desk- 25 mm pre-laminate top; Adjustable Frame: Dia 42 x 1.2 mm thickness MS frame Automatic electrostatic painting						
a)	Desk - 900 (Dia) mm	No.	3			-	
b)	Desk – 1100mm x 550mm	No.	3			-	
21	Storage units wooden (Art room materials)						

S.NO.	Description of Items	Unit	Quantity	Rate in INR (in Figure)	Rate in Words (In INR)	Amount in INR	Photograph of equivalent items for reference
a)	6 compartments Over all size: 1200mm x 400mm(d) x 750mm(h) .Completely made up of 18mm wood based ISI marked MDF board with edges covered with 2mm pvc edge band. Top 18mm postformed.	No.	10			-	
b)	Over all size: 1200(h) x 900(w) x 500(d)mm Body completely made up of ISI marked 18mm wood based Mdf board with edges covered with 2mm and 0.8mm pvc edge band. Door with height up to 750mm made up of wood based Mdf board with covering of post form of 0.8mm laminate with one side quarter bending and 3 sides 2mm pvc edge band. All fittings used should be of Hitch/ Hafle/ebco make.	No.	5			-	
22	Storage unit wooden for KG charts (Art room) 6 compartments Over all size: 1800mm x 400mm(d) x 750mm(h) Completely made up of 18mm wood based ISI marked MDF board with edges covered with 2mm pvc edge band. Top 18mm postformed.	No.	1			-	
23	Patient testing bed for medical room with adjustable head rest Over all size: 1800x500x800mm . Frame made up of 32mm and 25mm tubular pipe of 16g. Top made up of 18g crc sheet. The complete structure is duly powder coated. 75mm , 32d mattress with good quality leatherite should be there.	No.	1			-	

S.NO.	Description of Items	Unit	Quantity	Rate in INR (in Figure)	Rate in Words (In INR)	Amount in INR	Photograph of equivalent items for reference
24	<p>Cots for medical room patients Overall size: 2010x920x800mm Frame made up of 32mm and 25mm tubular pipe of 16g. Top made up of 18g crc sheet. The complete structure is duly powder coated. 100mm , 32d mattress with good quality leatherite should be there.</p>	No.	4			-	
25	<p>Over head file storage unit (accounts cabin) Storage Units of size 1800 x 600x 450mm with top & understructure & facia made of 18mm mdf board having openable shutters. All exposed edges are sealed with 2mm thick PVC edge banding tape and all unexposed edges sealed with 0.8mm edge banding tape pressed at 200o C with hot melt glue on special machines, with proper locking arrangement. The shelves are made of 18 mm thick mdf board.</p>	No.	3			-	
SUB TOTAL OF FURNITURE						-	