




















SPECIFICATION FOR UPVC WINDOW/DOOR COMPONENTS








Approved make : Fenesta/Rahau/LG/SIESTO. For Door/ window/ fittings, handle, Lock, Rollers & Door Closer- DNV/ROTTO/HETTICH/HAFELE/
OR APPROVED EQUIVALENT.
Permissible variation for specific make is $\pm 10\%$ in thickness of size.

SPECIFICATION FOR UPVC WINDOW/DOOR COMPONENTS

GROUP	ITEM CODE	Image	DESCRIPTION/SPECIFICATION	UNIT	Weight
	CASEMENT FRAME (NARROW)		60 MM X 44.5MM	Kg/Rmt	0.73
	CASEMENT FRAME		60MM X 58MM	Kg/Rmt	0.965
	INWARD DOOR SASH		104MM X 60MM	Kg/Rmt	1.38
	CASEMENT WINDOW/DOOR MULLION		71MM X 60MM	Kg/Rmt	1.07
	2 TRACK SLIDING FRAME		60MM X 60MM	Kg/Rmt	1.05
	SLIDING WINDOW/DOOR MULLION		60MM X 42MM	Kg/Rmt	0.63

GROUP	ITEM CODE	Image	DESCRIPTION/SPECIFICATION	UNIT	Weight
UPVC EXTRUDED PROFILES	SLIDING DOOR SASH		42MM X 88MM	Kg/Rmt	1.11
	INTERLOCK DOOR SASH		45MM X 48MM	Kg/Rmt	0.258
	IN LINE ADAPTER		46.6MM	Kg/Rmt	0.3
	SLIDING BEAD FOR 5MM GLASS		25MM X 16MM	Kg/Rmt	0.22
	SLIDING BEAD FOR 20MM DGU GLASS		10MM X 16MM	Kg/Rmt	0.134
	CASEMENT BEAD FOR 5MM GLASS		35MM X 18MM	Kg/Rmt	0.274
	CASEMENT BEAD FOR 20MM DGU GLASS		20MM X 18MM	Kg/Rmt	0.186

GROUP	ITEM CODE	Image	DESCRIPTION/SPECIFICATION	UNIT	Weight
	ROUND CONNECTOR (90-210)			Kg/Rmt	0.55
	180 CONNECTOR (BIG) WITH REINFORCEMENT		108MM X 48MM & 60MM X 25MM	Kg/Rmt	5.291 & 1.626
	60-60 CONNECTOR		60MM X 60MM	Kg/Rmt	0.77
	UPVC LOUVERS & LOUVERS BEAD		23MM X 35MM 6MM X 59 MM 48MM X 18MM	Kg/Rmt	0.165 0.287 0.26
	PVC PANEL		PER 5MM GAP	Kg/Rmt	0.44 0.688
	2 TRACK		O TYPE 1.5MM THICK	Kg/Rmt	0.986

GROUP	ITEM CODE	Image	DESCRIPTION/SPECIFICATION		UNIT	Weight
GI REINFORCEMENT	2.5 TRACK		O TYPE	1.5MM THICK	Kg/Rmt	0.88
	SLIDING DOOR SASH		U TYPE	2MM THICK	Kg/Rmt	1.363
	SLIDING WINDOW/DOOR MULLION		U TYPE	1.5MM THICK	Kg/Rmt	0.505
	CASEMENT FRAME		G TYPE	1.5MM THICK	Kg/Rmt	0.877
	CASEMENT FRAME (NARROW)		G TYPE	1.2MM THICK	Kg/Rmt	0.531
	CASEMENT DOOR SASH		P/U TYPE	2MM THICK	Kg/Rmt	2.256
	ALUMINIUM RAIL		HALF ROUND SOLID		kg/Rmt	0.115